CATALOGUE

DESIGNED TO PROTECT



HAND PROTECTION KEY TECHNOLOGIES

Our Base Fabrics



Force360's ProForce reinforcement fabric utilizes a Keylar construction base to provide amazing grip. abrasion resistance and protection from jagged objects. Used strategically over Enduro fabric, gloves using ProForce are amongst the toughest performers.



Force360's exclusive Enduro fabric is a premium sourced Korean synthetic leather. Assured quality, 0.8mm thickness and colour fastness combine with exceptional abrasion resistance to provide the wearer with a long wearing protective glove.



Force360's exclusive Sinomac engineered yarn not only offers Cut level 3 or 5 protection, but brings coolness to the hand in combination with a soft, flexible feel maximizing wearer comfort and dexterity.



10 gauge provides good dexterity for heavy duty work.



13 gauge provides excellent dexterity for general purpose work.



Certified Cut Level 3 protection.



15 gauge provides enhanced dexterity for fine work.



18 gauge provides ultimate dexterity for precision work.



Certified Cut Level 5 protection



Force360's Active Grip Technology (AGT) is a proprietary glove coating formula that provides industry leading wet, dry and oil grip.



Force360's Active Grip Technology (AGT) is a proprietary glove coating formula that provides industry leading wet, dry and oil grip. A secondary water resistant 3/4 coating is added underneath the AGT to ensure hands stay dry, making them ideal in wet environments and applications.



Perfect form, fit and comfort is achieved through Force360's unique knit pattern that mimics a 'hand at rest', minimizing hand fatigue.



Force360 gloves last longer due to a double layer fabric coupled with double stitching reinforcement in high wear areas.

Force360's neoprene based NeoSorb 2.5mm

padding is strategically placed to absorb vibrations

and improves grip when using hand and power tools.

Force360's silicon gel based GelPan 3.5mm padding

exceptionally with heavy duty power and pneumatic

is strategially placed to absorb vibrations and

improves grip in heavy conditions and performs



The unique TPR structure on the back of hand provides armoured protection against impacts, scrapes and knocks for the wearer.



The Force360 Velcro closure allows the glove to be securely fastened ensuring a snug fit that reduces glove movement on the hand.

Breathable brushed terry lining is used to keep

hands warm from extreme cold.



The components of this glove are food contact approved according to Directive 2002/72EC for safe handling of meats, fish, shellfish and vegetables.



No Polyvinyl Chloride (PVC) is used in the manufacture of this glove. PVC is a known human carcinogen and contains several dangerous dioxins.

As an Australian owned company Force360 designs

its Hand Protection range to counter the tough

working conditions our country experiences.



Force360's Active Grip Technology (AGT) is a proprietary glove coating formula that provides industry leading wet, dry and oil grip. A secondary oil resistant coating is added underneath the AGT to ensure hands stay dryer, making them ideal in oily environments and applications.



This glove's palm is coated in a material that resists oil and petroleum degradation.



Protection from the sun's damaging UV rays is assured with Force360s UPF50+ rating.



tools.

Force360 only uses 4 Way Spandex in its glove construction allowing complete hand movement and



3M 100 gsm breathable Thinsulate winter lining is used to keep hands warm from extreme cold.



All product packaging is designed for maximum retail presence.





flexibility.



Only premium deerskin hides are selected and used in this glove to ensure the most soft and supple finish possible.



As part of Force360's commitment to environmental responsibility this packaging is made from recyclable material.



Keeping hands cool is critical for comfort and improved wearer compliance. Only selected materials that allow air flow are used to ensure 360 degree air circulation and enhanced breathability.



The Actifresh Sanitized treatment neutralizes odour creating bacteria. Gloves are kept fresher for longer. Actifresh resists UV degradation and maximizes product longevity.



The ID area allows the wearer to mark their gloves with their name for easy ownership recognition, or add an issue date for usage monitoring.

SAFETY EYEWEAR KEY TECHNOLOGIES



Certified medium impact rated protection to AS/NZS 1337.1:2010.



Certified liquid splash rated protection to AS/NZS 1337.1:2010.



Force360 uses its own Diamond Tech Hardcoat on all FPR lenses. Diamond Tech Hardcoat is extremely scratch resistant and resists acid and solvent degradation aswell as scratches from dusts and debris.



Force360 uses its HydroTech Anti Fog coating on most FPR safety lenses. HydroTech AF is a washable hydrophilic based coating providing an anti static finish that repels dusts and particles and prevents fog forming on the lens, the ideal coating for hot and humid conditions.



The Force360 patented FitAll Sidearm system is designed to gently hug all head shapes. A world first product that ensures extreme comfort for every wearer. FitAll Sidearms hugging design ensures that the safety spectacles never slips or moves, making them the most secure and comfortable spectacle in the marketplace today.



The Force 360 FitLok switch rotates and locks the sidearms to a wider position for a relaxed pressure relieving fit. Safety eyewear featuturing a Fitlok swith is the obvious choice for all day wear.



Force360 V Pivot is unique to the Guardian+ range of goggles. The face visor can be lifted and positioned above the goggle when not in use allowing easy access to the face when required.



Force360s Pivot Hinge allows the wearer to adopt any angle of the glasses to their face shape by moving the sidearm position, creating personal cover and comfort.



Protection from above is sometimes critical. The TPR browguard reduces particles and sweat reaching the eyes. It is easily removed when not required.



Force360's removable Element Seal provides protection from dust and harsh winds that can compromise standard safety spectacles. The Element Seal is made from high quality EVA ensuring a soft and positive seal on the skin.



The unique design of the floating lens means airflow is maximized behind the lens and fogging is minimized. The best design for highly humid and hot environments.



Premium non slip TPR is used to create Force360's Comfort Side Arms. This co-moulded feature reduces pressure and wearer fatique.



The nose bridge is the apex point for eyewear comfort. Force360 utilizes Flex Bridge technology, the softest shape memory material that flexes and moulds to shape, for all day comfort.



UV400 Polycarbonate lenses offer the wearer the best protection against UVA and UVB damaging rays. 100% protection is the standard across the entire Force360 FPR eyewear range.

SAFETY EYEWEAR LENS ICONS



Perfect optical quality for all day use. Renders all colours naturally and allows 89%+ of visible light transmission, making them perfect for indoor applications.



Perfect optical quality for all day use. Renders colours naturally and provides excellent outdoor coverage on bright days by reducing solar glare. An effective IR and blue light blocker.



Effectively reduces solar glare with minimal visible light reduction. An effective lens if frequently moving between shaded and bright areas.



Visually the silver mirror lens renders objects slightly brighter than the smoke lens. Colours remain natural and provides excellent outdoor coverage on bright days reducing solar glare.



Perfect optical quality for all day use against solar glare. Refines colours and provides excellent outdoor coverage on bright days. An effective IR and blue light blocker.



Perfect for use in low light conditions to improve contrast and enhance colours. A great outdoor lens particulary during first and last light. A good blue light blocker.



A darker brown lens for brighter outdoor conditions to improve contrast and also block blue light rays. An effective outdoor lens that enhances natural colours and contrast.



Perfect for use in low light conditions to improve contrast and enhance colours. A great outdoor lens particular during first and last light. A good blue light blocker.



Polarized lens technology effectively acts like a venetian blind and blocks horizontal reflected light, especially effective on water or around highly reflective surfaces like glass and metal. Glare is reduced and colours, contrast perception and depth are all enhanced. Eye strain is minimalized.



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | SIZE | UOM | CTN QTY | MOQ | EN388 Mechanical Score | Standards | Key Technologies |
|---------------|------------------------|---------|--|-------|------|------------|------|------------------------------|---|--|
| MECHANICS | FPR Hand Protection | GFPRMX1 | Force360 MX1 Optima Mechanics Glove | S-2XL | Pair | 72pr | 12pr | EN 388 4242 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40376 | SYNTHETE WAY MOTEMENT SPANCE PRESENT SENTINGENER SPANCE VELCEN CLOSURE DENTIFICATION REVENUE READ REVENUE READ REVENUE R |
| | FPR Hand Protection | GFPRMX2 | Force360 MX2 Optima Hi-Vis Mechanics Glove | S-2XL | Pair | 72pr | 12pr | EN 388 3242 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40376 | SYNTHETE WAY NOVEMENT SPACEX PROFITE SPACEX VECCOO CLOSURE DENTIFICATION REPROFICED RETAIL READY |
| | FPR Hand Protection | GFPRMX3 | Force360 MX3 Armour Mechanics Glove | S-2XL | Pair | 72pr | 12pr | EN 388 4244 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40376 | ARMOUR WAY NOVEMENT SPANIEX BREATHABILITY WAY NOVEMENT SPANIEX WAY ROUTE THE PROPERTY OF TH |
| | FPR Hand Protection | GFPRMX4 | Force360 MX4 Vibe Control Mechanics Glove | S-2XL | Pair | 72pr | 12pr | EN 388 | Australian Standard AS/NZS 2161,3:2005 Lic.SMK40376 | WAY MOVEMENT BREATHABLITY ANTIVERATION ANT |
| | FPR Hand Protection | GFPRMX5 | Force360 MX5 Blade 5 Mechanics Glove | S-2XL | Pair | 72pr | 12pr | EN 388 3543 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40376 | SYNTHETIC WAY MOVEMENT SPANICE BEGINABILITY WELGRO CLUSURE DESTRICTION RETAIL READY |
| 571rus | FPR Hand Protection | GFPRMX6 | Force360 MX6 Storm Mechanics Glove | S-2XL | Pair | 72pr | 6pr | EN 388 2221 | Australian Standard AS/NZS 2161.3:2005 | SYNTHETIC WAY MONTHANT SYNTHETIC WAY MONTHANT SYNTHETIC THERMAL UNED BEGITFARION TALE REFAIL READY |



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | SIZE | UOM | CTN QTY | MOQ | EN388 Mechanical Score | Standards | Key Technologies |
|---------------|----------------------------|----------|--|-------|------|------------|------|------------------------------|---|---|
| ХХПР | FPR Hand Protection | GFPRMX7 | Force360 MX7 Storm Hi-Vis Mechanics Glove | S-2XL | Pair | 72pr | 6pr | EN 388 3232 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40376 | WAT MÜNEMENT SPANGEY THERMAL LINED BREATHABLITY TAG TO ENTIFICATION RETAIL READY |
| 100 ESTABLE 1 | FPR Hand Protection | GFPRMX8 | Force360 MX8 Tradie Fast Fit Mechanics Glove | S-2XL | Pair | 72pr | 12pr | EN 388 3244 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40376 | WAT MÜNCHENT WAT MÜNCHENT SPANGEY ANTITUBRATION BREATHABLITY BREATHABLITY RETAIL READY |
| (C) | FPR Hand Protection | GFPRMX9 | Force360 MX9 XScape Mechanics Glove | S-2XL | Pair | 72pr | 12pr | EN 388 3131 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40376 | SYNTHETIC WAY MORENETT VEICHO CLUSURE BRESTHABLITY BRESTHABLITY TAG RETAIL READY |
| TTion- | FPR Hand Protection | GFPRMX11 | Force360 MX11 Predator Deerskin Mechanics Glove | S-2XL | Pair | 72pr | 12pr | EN 388 4133 | Aystralian Standard AS/NZS PENDING | SELECT LEATHER WAY MOVEMENT BREATHABLITY BREATHABLITY VEICED CLOSURE HAND AT REST RETAIL READY |
| and a second | FPR Hand Protection | GFPRMX12 | Force360 MX12 Predator Winter Deerskin Mechanics Glove | S-2XL | Pair | 72pr | 6pr | EN 388 4133 | Aystralian Standard AS/NZS PENDING | SELECT LEATHER THERMAL LINED WAY MOVEMENT SPANDEX SPANDEX VELTO VELTO CLOSURE HAND AT REST RETAIL READY |
| 1 xxxxx | WORX Hand Protection | GWORX1 | Force360 Worx 1 Original Mechanics Glove | S-2XL | Pair | 72pr | 12pr | EN 388 3243 | Australian Standard AS/NZS 2161.3:2005 Lic,SMK40376 | CUSTOM WAY MONCHONT BREATHABILITY SPANDER BREATHABILITY CLOSURE CLOSURE DENTIFICATION RETAIL READY |



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | SIZE | UOM | CTN QTY | MOQ | EN388 Mechanical Score | Standards | Key Technologies |
|---------------|----------------------------|---------|--|-------|------|------------|------|------------------------------|---|--|
| G ≥ xuor | WORX Hand Protection | GWORX2 | Force360 Worx 2 Original Hi-Vis Mechanics Glove | S-2XL | Pair | 72pr | 12pr | EN 388 | Australian Standard ASNZS 2161,3:2005 Lic.SMK40376 | CUSTOM WAY MOVEMENT BREATMABILITY VELCEND CLOSURE DENTIFICATION RETAIL READY |
| €±0 | WORX Hand Protection | GWORX3 | Force360 Worx 3 Original Mechanics Fingerless Glove | S-2XL | Pair | 72pr | 12pr | EN 388 3242 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40376 | WAY MORHOUT SPANSER WAY MORHOUT SPANSER BREATMARKITY BREATMARKITY BREATMARKITY COUSTINE VECCO CLOSURE UDMITERATION RETAIL READY |
| → | WORX Hand Protection | GWORX4 | Force360 Worx 4 Original Fast Fit Mechanics Glove | S-2XL | Pair | 72pr | 12pr | EN 388 3142 | Australian Standard ASN/ZS 2161,3:2005 Lic.SMK40376 | CUSTOM WAY HOW THE BREATHABILITY BREATHABILITY REVAIL READY |
| Tool Tool | WORX Hand Protection | GWORX5 | Force360 Worx 5 Original Fast Fit Hi-Vis Mechanics Glove | S-2XL | Pair | 72pr | 12pr | EN 388 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40376 | CUSTOM WAY MOVEHORT BREATMARKETY RETAIL READY |
| SYNTHETIC | | | | | | | | | | |
| | FPR Hand Protection | GFPR100 | Force360 CoolFlex AGT Nitrile Glove | S-2XL | Pair | 144pr | 12pr | EN 388 4131 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40375 | ACTIVE GAIP TECHNOLOGY ACTIVE |
| | FPR Hand Protection | GFPR101 | Force360 CoolFlex AGT Hi Vis Nitrile Glove | S-2XL | Pair | 144pr | 12pr | EN 388 4131 | Australian Standard AS/NZ 2161.3:2005 Lic.SMK40375 | ACTIVE GAPP TECHNOLOGY ACTIVE GAPP TECHNOLOGY ACTIVE GAPP TO THE CAPPER TO THE CAPPE |



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | SIZE | UOM | CTN QTY | MOQ | EN388 Mechanical Score | Standards | Key Technologies |
|---------------|----------------------------|----------|--|-------|------|------------|-------|------------------------------|---|--|
| | FPR Hand Protection | GFPR102 | Force360 Coolflex AGT Winter Glove | S-2XL | Pair | 72pr | 6pr | 3232 EN 511 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40375 | ACTIVE GRAP TECHNOLOGY ACTIFACESH ACTIFACESH ACTIFACESH HAND AT REST THERMAL LINED RETAIL READY |
| | FPR Hand Protection | GFPR103 | Force360 CoolFlex AGT Ultra Hi Vis Nitrile Glove | S-2XL | Pair | 144pr | 12pr | EN 388 4121 | Australian Standard AS/NZS 2161.3:2005 | ACTIFIC GRIP TECHNOLOGY ACTIFIC GRIP ACTIFI |
| | FPR Hand Protection | GFPR104 | Force360 CoolFlex AGT WET Repel Nitrile Glove | S-2XL | Pair | 144pr | 12pr | EN 388 4131 | Australian Standard AS/NZS 2161.3:2005 Lic,SMK40375 | ACTIFIC GRIP AC |
| | FPR Hand Protection | GFPR105 | Force360 CoolFlex AGT OIL Repel Nitrile Glove | S-2XL | Pair | 144pr | 12pr | EN 388 4131 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40375 | ACTIFIC GRIP AC |
| | FPR Hand Protection | GFPR110 | Force360 Redback Latex Glove | S-2XL | Pair | 144pr | 12pr | 3122 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40375 | ACTUFRESH MAND AT REST FOOD SAFE GAUGE RETAIL READY |
| | WORX Hand Protection | GWORX100 | Force360 Eco Nitrile Foam Glove | S-2XL | Pair | 144pr | 144pr | EN 388 4121 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40375 | BREATHABILITY AND AT REST GAUGE |
| | WORX Hand Protection | GWORX101 | Force360 Eco PU Glove | S-2XL | Pair | 144pr | 144pr | EN 388 3131 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40375 | BREATHABELITY HAND AT REST GAUGE |



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | SIZE | UOM | CTN QTY | MOQ | EN388 Mechanical Score | Standards | Key Technologies |
|--|------------------------|---------|--|------------|------|----------------|---------------|------------------------------|---|--|
| CUT | | | | | | | | | # ™ | A FEBFORA. |
| | FPR Hand Protection | GFPR200 | Force360 Titanium 3 Cut 3 PU Glove | S-2XL | Pair | 144pr | 12pr | EN 388 4342 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40375 | STATINET. |
| | FPR Hand Protection | GFPR201 | Force360 Titanium 5 Cut 5 PU Glove | S-2XL | Pair | 144pr | 12pr | EN 388 4543 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40375 | SYNTHETIC SYNTHETIC STATE ACTIFRESH HAND AT REST OIL RESISTANT GAUGE RETAIL REDDY |
| | FPR Hand Protection | GFPR202 | Force360 Offshore+ Cut 5 PU Glove | S-2XL | Pair | 72pr | 6pr | EN 388 4543 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40375 | SYNTHETIC SYNTHETIC SYNTHETIC STREET ACTIFICES HAND AT REST TECHNOLOGY ABRIDUR |
| ## ## ## ## ## ## ## ## ## ## ## ## ## | FPR Hand Protection | GFPR203 | Force360 Cut 5 White Food Grade 13 gauge Glove | XS- 2XL | Each | 144 singles | 12 singles | EN 388 2542 | Australian Standard AS/NZS 2161,3:2005 Lic.SMK40375 | SYNTHETIC STATISTICS BREATHABLITY FOOD SAFE GAUGE |
| A B | FPR Hand Protection | GFPR204 | Force360 Cut 5 Blue Food Grade 13 gauge Glove | XS- 2XL | Each | 144 singles | 12 singles | EN 388 2542 | Australian Standard AS/NZS 2161,3:2005 Lic.SMK40375 | SYNTHETIC STATE OF THE STATE OF |
| | FPR Hand Protection | GFPR205 | Force360 Cut 5 White Food Grade 10 gauge Glove | XS- 2XL | Each | 144 singles | 12 singles | EN 388 2542 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40375 | SYNTHETIC STATE OLD SAFE GAUGE |



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | SIZE | UOM | CTN QTY | MOQ | EN388 Mechanical Score | Standards | Key Technologies |
|---------------|----------------------------|----------|---|-------|------|------------|------|------------------------------|---|----------------------------------|
| | WORX Hand Protection | GWORX201 | Force360 Worx Cut 5 PU SP Glove | S-2XL | Pair | 144pr | 12pr | EN 388 4542 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40375 | BREATHABILITY LAND AT REST CAUGE |
| | WORX Hand Protection | GWORX202 | Force360 Worx Cut 5 PU Hi Vis Glove | S-2XL | Pair | 144pr | 12pr | EN 388 4542 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40375 | BREATHABILITY LAND AT REST GAUGE |
| | WORX Hand Protection | GWORX203 | Force360 Worx Cut 5 Foam Nitrile SP Glove | S-2XL | Pair | 144pr | 12pr | EN 388 | Australian Standard AS/NZS 2161.3:2005 Lic.SMK40375 | BREATHABILITY LAND AT REST GAUGE |
| 200 | WORX Hand Protection | GWORX700 | Force360 Worx GripMe Glove Clip | | Each | 100 | 20 | N/A | Australian Standard AS/NZS Lic.SMKH25345 | |

COLOUR KEY





















| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | UOM | CTN QTY | MOQ | Standards | Key Technologies |
|-------------------|--------------------------|---------|--|------|---------|------|---|---|
| SAFETY SPECTACLES | ; | | | | | | | |
| | FPR Safety Eyewear | EFPR800 | Force360 Air Clear Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEDIUM IMPACT DIAMONO TECH HYDRO TECH AF REIAL READY |
| 8 | FPR Safety Eyewear | EFPR801 | Force360 Air Smoke Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEGIUM IMPACT DIAMOND TECH AF HYDRO TECH AF RETAIL READY |
| | FPR Safety Eyewear | EFPR802 | Force360 Air Light Brown Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | DIAMOND TECH AF HYDRO TECH AF RETAIL READY |
| R | FPR Safety Eyewear | EFPR803 | Force360 Air Silver Mirror Lens Safety Spectacle HC Only | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | DIAMOND TECH HERUMIMPACT DIAMOND TECH HARDCOAT RETAIL READY |
| | FPR Safety Eyewear | EFPR804 | Force360 Glide Clear Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1602 | MEDIJIM IMPACT DIAMOND TECH AF COMFORT SIDE ARMS FLEX BRIDGE BETVAL READY |
| | FPR Safety Eyewear | EFPR805 | Force360 Glide Smoke Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337:1:2010 Lic.1502 | MEDIJIMIMPACIT DIAMOND TECH AF COMFORT SIDE ARMS FLEX BRIDGE RETAIL READY |



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | UOM | CTN QTY | MOQ | Standards | Key Technologies |
|---------------|--------------------------|---------|--|------|---------|------|--|--|
| | FPR Safety Eyewear | EFPR806 | Force360 Glide Dark Brown Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic. 1602 | MEDIJMIMPACT DIAMORNO TECH AF CONFIGER SIDE ARMS FLEX BRIDGE RETAIL READY |
| | FPR Safety Eyewear | EFPR807 | Force360 Glide Silver Mirror Lens Safety Spectacle HC Only | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic. 1602 | DEFIAL READY DIAMOND TECH HARDCOAL COMFORT SIDE ARMS FLEX BRIDGE RETAL READY |
| | FPR Safety Eyewear | EFPR808 | Force360 Eclipse Clear Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic. 1602 | MEDIEM IMPACT DIAMOND TECH AF COMPORT SIDE ARMS FLEX BRIDGE RETAIL READY |
| 3 | FPR Safety Eyewear | EFPR809 | Force360 Eclipse Smoke Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic. 1502 | MEDIMIMPACT DIAMOND TECH AF COMPORT SIDE ARMS FLEX BRIDGE RETAIL READY |
| | FPR Safety Eyewear | EFPR810 | Force360 Eclipse Dark Brown Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic. 1502 | MEDIMIMPACT DIAMOND TECH AF LEX BRIDGE RETAIL REJUY |
| | FPR Safety Eyewear | EFPR811 | Force360 Shield Clear Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic. 1602 | BROW GUARD PIVOT HINGE BROW GUARD BROW G |



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | UOM | CTN QTY | MOQ | Standards | Key Technologies |
|---------------|--------------------------|---------|--|------|---------|------|--|--|
| | FPR Safety Eyewear | EFPR812 | Force360 Shield Smoke Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEDIMIMPACT DIAMPHOTECH HYDRO TECH AF BROW GUARD PIVOT HINGE RETAIL READY |
| 5 | FPR Safety Eyewear | EFPR813 | Force360 Horizon Clear Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEDILIMINACI DIAMORDI TECH AF COMPORT SIDE ABMS RETAIL READY |
| 3 | FPR Safety Eyewear | EFPR814 | Force360 Horizon Smoke Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic. 1502 | MEDIJIH IMPACT DIANGKO TECH AF COMFORT SIDE ARMS RETAIL READY |
| 3 | FPR Safety Eyewear | EFPR815 | Force360 Horizon Blue Mirror Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic. 1502 | MEDILIMINACI DIAMORD TECH COMFORT SIDE ARMS RETAIL READY |
| | FPR Safety Eyewear | EFPR816 | Force360 Runner Clear Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEDIJIH IMPACT DIAMOND TECH AF CONTROLT SIDE ARMS FLEX BRIDGE RETAIL READY |
| | FPR Safety Eyewear | EFPR817 | Force360 Runner Smoke Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEDIJIM IMPACT DIAMOND TECH AF LONG SIDE ARMS FLEX BRIDGE RETAIL READY |



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | UOM | CTN QTY | MOQ | Standards | Key Technologies |
|---------------|--------------------------|---------|--|------|---------|------|---|--|
| | FPR Safety Eyewear | EFPR818 | Force360 Runner Bronze Mirror Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1: 2010 Lic. 1502 | MEDIDILIMPACI DIAMORD TECH MARDOAT DIAMORD TECH MARDOAT COMFORT SIDE ARMS FIEX BRIDGE RETAIL READY |
| 57 | FPR Safety Eyewear | EFPR819 | Force360 Eyefit Clear Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1: 2010 Lic. 1502 | MEDIJIMIMPACI DIAMOND TECH HYDRO TECH AF FLEX BRIDGE FLOATING LENS RETIAL READY |
| | FPR Safety Eyewear | EFPR820 | Force360 Eyefit Smoke Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEDIJIMIMIZACI DIAMONIO TECH HYDRO TECH AF |
| 7 | FPR Safety Eyewear | EFPR821 | Force360 Eyefit Light Brown Lens Safety Spec | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337:1:2010 Lic.1502 | MEDIJIMIMIZACI DIAMONIO TECH HARDCOAT HYDRO TECH AF FLEX BRIDGE FLOATING LENS RETAIL READY |
| | FPR Safety Eyewear | EFPR822 | Force360 Eyefit Silver Mirror Lens Safety Spectacle HC Only | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1.2010 Lic.1502 | MEDIMIMPACT DIAMPROTECH HARDCOAT HARDCOAT REVAIL READY |
| | FPR Safety Eyewear | EFPR823 | Force360 Oil & Gas Clear Lens Safety Spectacle (with additional strap) | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEDIJIM IMIJACI DIAMOND TECH AF HYDRO TECH AF ELEMENT SEAL PIVOT HINGE REIJAL READY |



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | UOM | CTN QTY | MOQ | Standards | Key Technologies |
|---------------|--------------------------|---------|--|------|---------|------|--|--|
| | FPR Safety Eyewear | EFPR824 | Force360 Oil & Gas Smoke Lens Safety Spectacle (with additional strap) | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337:1:2010 Lic.1502 | MEDIIMIMPACTI DIAMONOTECH AF LEEMENT SEAL PHYOT HINGE RETAIL READY |
| ~ | FPR Safety Eyewear | EFPR825 | Force360 24/7 Clear Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEDIDMINPACT DIAMOND TECH AF HYDRO TECH AF H |
| 8 | FPR Safety Eyewear | EFPR826 | Force360 24/7 Smoke Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEDIDMIMPACT DIAMOND TECH AF LEX BRIDGE RETAIL READY |
| | FPR Safety Eyewear | EFPR827 | Force360 24/7 Blue Mirror Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 13371-2010 Lic.1502 | MEDINIMPACT DIAMOND TECH AF LEX BRIDGE RETAIL READY |
| 3 | FPR Safety Eyewear | EFPR828 | Force360 24/7 Clear Mirror Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.2742 | MEDINIMPACTI DIAMONOTECH AF LEX BRIDGE RETALL READY |
| 3 | FPR Safety Eyewear | EFPR900 | Force360 Mirage Smoke Polarised Lens Safety Spectacle | Pair | 36pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEDINIMPACTI DAMOND TECH NARDCOAT POLARIZED RETAIL READY |
| | FPR Safety Eyewear | EFPR901 | Force360 Mirage Smoke Polarised Lens Safety Spectacle | Pair | 36pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic. 1502 | MEDIDIMINPACTI DIAMORD TECH HARDCOAT POLARIZED RETAIL READY |





| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | UOM | CTN QTY | MOQ | Standards | Key Technologies |
|---------------|---------------------------|---------|--|------|---------|------|---|--|
| | WORX Safety Eyewear | EWRX800 | Force360 Radar Clear Lens Safety Spec | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic,2742 | CUSTOM MERIUM IMPACT ANTI FOG RETAIL READY |
| 3 | WORX Safety Eyewear | EWRX801 | Force360 Radar Smoke Lens Safety Spec | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.2742 | CUSTOM MEXIUM MPACT ANTIFOG RETAIL READY |
| | WORX Safety Eyewear | EWRX802 | Force360 Radar Blue Mirror Lens Safety Spec | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1.2010 Lic.2742 | PB MERIUM MPACT ANTI FOG RETALL READY |
| | WORX Safety Eyewear | EWRX803 | Force360 Radar Light Brown Lens Safety Spectacle | Pair | 144pr | 12pr | Australian Standard AS/NZS 1337.1:2010 Lic.2742 | CUSTOM MERUM MPACT ANTI-FOG RETAIL READY |



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | UOM | CTN QTY | MOQ | Standards | Key Technologies |
|--|--------------------------|---------|--|------|---------|----------|---|--|
| SAFETY GOGGLES | | | | | | | | |
| 10 | FPR Safety Eyewear | EFPR850 | Force360 Guardian Clear Lens Goggle | Pair | 20pr | 1pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEDIIMIMPACT DIAMOND TECH HYDRO TECH AF HYDRO TECH AF RETAIL READY |
| | FPR Safety Eyewear | EFPR851 | Force360 Guardian Smoke Lens Goggle | Pair | 20pr | 1pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEDIUMIMBACT DIAMOND TECH AF HYDRO TECH AF REJAIL REJOY |
| | FPR Safety Eyewear | EFPR860 | Force360 Guardian+ Clear Lens Goggle & Visor Combo | Pair | 10pr | 1pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | MEDIUMIMPACT DIAMOND TECH AF HYDRO TECH AF VPIVOT RETAIL READY |
| | FPR Safety Eyewear | EFPR861 | Force360 Guardian+ Smoke Lens Goggle & Visor Combo | Pair | 10pr | 1pr | Australian Standard AS/NZS 1337.1:2010 Lic.1502 | DIAMONO TECH HYDRO TECH AF VPIVOT RETAIL READY |
| ACCESSORIES | | | | | | | | |
| TO CORCE CONTROL OF THE CORCE CONTROL OF T | FPR Safety Eyewear | EFPR950 | Force360 FogOff Multi Wipes (100 wipes per box) | Вох | 40 | 40 Boxes | N/A | N/A |





| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | иом | CTN QTY | MOQ | Standards | Key Technologies |
|---------------|----------------------------|---------|---|-----|----------|-------|--------------------------|------------------|
| EARPLUGS | | | | | | | | |
| X X COO | WORX Hearing Protection | HWRX970 | Force360 PU Earplug Uncorded (200pr per box) | Вох | 10 Boxes | 1 Box | AS/NZS 1270 Compliant | RETAIL READY |
| | WORX Hearing Protection | HWRX971 | Force360 PU Earplug Corded (100pr per box) | Вох | 10 Boxes | 1 Box | AS/NZS 1270 Compliant | RETAIL READY |



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | COLOUR | UOM | CTN QTY | MOQ | Standards |
|---------------|------------------------|-----------|--|--------|------|---------|-----|--|
| HARD HATS | | | | | | | | |
| | FPR Head Protection | HPFPR56 | Force360 Hard Hat, Unvented, 6 Point Pinlock Harness, Type 1 | | Each | 20 | 20 | Australian Standard ASN/ZS 1801 Lic. 21741 |
| | FPR Head Protection | HPFPR57 | Force360 Hard Hat, Vented, 6 Point Pinlock Harness, Type 1 | | Each | 20 | 20 | Australian Standard AS/NZS 1801 Lic. 21741 |
| | FPR Head Protection | HPFPR60 | Force360 Hard Hat, Unvented, 6 Point Pinlock Harness, Type 2 | | Each | 20 | 20 | Australian Standard AS/NZS 1801 Lic. 21741 |
| | FPR Head Protection | HPFPR61 | Force360 Hard Hat, Vented, 6 Point Pinlock Harness, Type 2 | | Each | 20 | 20 | Australian Standard AS/NZS 1801 Lic. 21741 |
| | FPR Head Protection | HPFPR56ML | Force360 Miners Hard Hat, Metal Lamp Bracket, Unvented, Type 1 | | Each | 20 | 20 | Australian Standard AS/NZS 1801 Lic. 21741 |
| | FPR Head Protection | HPFPR56PL | Force360 Miners Hard Hat, Poly Lamp Bracket, Unvented, Type 1 | | Each | 20 | 20 | Australian Standard AS/NZS 1801 Lic. 21741 |

































| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | COLOUR | UOM | CTN QTY | MOQ | Standards |
|---------------|------------------------|------------|--|--------|------|---------|-----|--|
| | FPR Head Protection | HPFPR57MLV | Force360 Miners Hard Hat, Metal Lamp Bracket, Vented, Type 1 | | Each | 20 | 20 | Australian Standard AS/NZS 1801 Lic. 21741 |
| | FPR Head Protection | HPFPR57PLV | Force360 Miners Hard Hat, Poly Lamp Bracket, Vented, Type 1 | | Each | 20 | 20 | Australian Standard AS/NZS 1801 Lic. 21741 |
| lirden | FPR Head Protection | HPFPR57WA | Force360 Fire Warden Hard Hat | | Each | 1 | 1 | Australian Standard AS/NZS 1801 Lic. 21741 |
| On Warden | FPR Head Protection | HPFPR57CW | Force360 Chief Warden Hard Hat | 0 | Each | 1 | 1 | Australian Standard AS/NZS 1801 Lic. 21741 |
| in Norden | FPR Head Protection | HPFPR57AW | Force360 Area Warden Hard Hat | | Each | 1 | 1 | Australian Standard AS/NZS 1801 Lic. 21741 |
| | FPR Head Protection | HPFPR57FA | Force360 First Aid Hard Hat | | Each | 1 | 1 | Australian Standard AS/NZS 1801 Lic. 21741 |

































| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | COLOUR | UOM | CTN QTY | MOQ | Standards |
|-----------------------|-------------------------|------------|--|--------|------|---------|------|--|
| Deputy Self Harden | FPR Head Protection | HPFPR57DCW | Force360 Deputy Chief Warden Hard Hat | 0 | Each | 1 | 1 | Australian Standard AS/NZS 1801 Lic. 21741 |
| | FPR Head Protection | HPFPRCV63 | Force360 Clearview Hard Hat, 6 Point Pinlock Harness, Type 2 | | Each | 20 | 20 | Australian Standard AS/NZS 1801 Lic. 21741 |
| | WORX Head Protection | HPWRX58 | Force360 Economy Hard Hat, Unvented, 6 Point Poly-cradle Harness, Type 1 | F F | Each | 20 | 20 | Australian Standard AS/NZS 1801 Lic. 21741 |
| | WORX Head Protection | HPWRX58 | Force360 Economy Hard Hat, vented, 6 Point Poly-cradle Harness, Type 1 | F F | Each | 1000 | 1000 | Australian Standard AS/NZS 1801 Lic. 21741 |
| | WORX Head Protection | HPWRX59 | Force360 Economy Hard Hat, Vented, 6 Point Poly-cradle Harness, Type 1 | FF | Each | 20 | 20 | Australian Standard AS/NZS 1801 Lic. 21741 |
| | WORX Head Protection | HPWRX59 | Force360 Economy Hard Hat, Vented, 6 Point Poly-cradle Harness, Type 1 | FF | Each | 1000 | 1000 | Australian Standard AS/NZS 1801 Lic. 21741 |





























| | PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | COLOUR | UOM | CTN QTY | MOQ | Standards |
|-------------------|---------------------------------|-------------------------|-----------|---|--------|------|---------|-----|---|
| | ACCESSORIES | FPR Head Protection | HPFPRRWH | Force360 Premium Six Point Pinlock Harness | | Each | 10 | 10 | Australian Standard AS/N/ZS 1801 Lic. 21741 |
| _ | | WORX Head Protection | HPWRXRPCH | Force360 Economy Six Point Poly-cradle Harness | | Each | 10 | 10 | Australian Standard AS/N/ZS 1801 Lic. 21741 |
| - <u>(*)</u> (11) | rane 🥠 produk 🦘 perce 🗷 🤲 Terra | FPR Head Protection | HPFPRTGCS | Force360 Chinstrap | | Each | 10 | 10 | Australian Standard AS/N/ZS 1801 Lic. 21741 |
| | | FPR Head Protection | HPFPRRSB | Force360 Sweat Band, Terry Towelling | | Each | 20 | 20 | Australian Standard AS/N/ZS 1801 Lic. 21741 |
| | | FPR Head Protection | HPFPRRT2 | Force360 Reflective Tape Kit, 2 Curves | | Each | 10 | 10 | Australian Standard AS/N/2S 1801 Lic. 21741 |
| | | FPR Head Protection | HPFPRRT3 | Force360 Reflective Tape Kit, 2 Curves & 1 straight | | Each | 10 | 10 | Australian Standard AS/NZS 1801 Lic. 21741 |
| _ | | FPR Head Protection | НЕРВИНН | Force360 Hard Hat Holder | F F | Each | 10 | 10 | Australian Standard AS/NZS 1801 Lic. 21741 |

































RESPIRATORY



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | UOM | CTN QTY | MOQ | Standards | Key Technologies |
|--|---------------------|---------|---|------|----------|----------|--|------------------|
| DISPOSABLE RESPIRATORS | | | | | | | | |
| RONG COMMANDER OF THE PROPERTY | WORX Respiratory | RWRX250 | Force360 P2 Disposable Respirator (20 per box) | Вох | 12 Boxes | 12 Boxes | AUSTRALIA & NZ STANDARDS AS/NZS 1716 LIC: BMP 592166 | REJAL READY |
| AND COMPANY OF THE PARK OF THE | WORX Respiratory | RWRX251 | Force360 P2V Disposable Respirator (10 per box) | Вох | 24 Boxes | 24 Boxes | AUSTRALIA & NZ STANDARDS AS/NZS 1716 LIC: BMP 592166 | REJAL READY |
| Non Pack | WORX Respiratory | RWRX260 | Force360 P2 Disposable Respirator (3 pack) | Pack | 40 Packs | 40 Packs | AUSTRALIA & RZ STANDARDS AS/NZS 1716 LIC: BMP 592166 | REJALL READY |
| 3 PACK | WORX Respiratory | RWRX261 | Force360 P2V Disposable Respirator (3 pack) | Pack | 40 Packs | 40 Packs | AUSTRALIA & NZ STANDARDS AS/NZS 1716 LIC: BMP 592166 | RETAIL READY |

CLOTHING



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | SIZE | COLOUR | UOM | CTN QTY | MOQ | Standards | Key Technologies |
|-------------------|------------------|---------|---|-------|--------|------|---------|-----|--|------------------|
| DISPOSABLE COVERA | LLS | | | | | | | | | |
| | FPR Clothing | CFPR180 | Force360 MaxRepel+ Type 4,5,6 Coverall | S-4XL | 0 | Each | 50 | 50 | C € 0624 | RETAIL READY |
| | FPR Clothing | CFPR181 | Force360 Defender Type 5,6 Coverall | S-4XL | | Each | 50 | 50 | C € 0624 | RETAIL READY |
| | FPR Clothing | CFPR182 | Force360 Defender Type 5,6 Coverall | S-4XL | | Each | 50 | 50 | C € 0624 | RETAIL READY |
| SAFETY VESTS | | | | | | | | | | |
| | WORX Clothing | CWRX190 | Force360 Orange Day Safety Vest | S-4XL | | Each | 25 | 25 | AS/NZS 4602.1:2011 Compliant | RETAIL READY |
| | WORX Clothing | CWRX191 | Force360 Yellow Day Safety Vest | S-4XL | | Each | 25 | 25 | AS/NZS 4602.1:2011 Compliant | RETAIL READY |
| | WORX Clothing | CWRX192 | Force360 Orange Day & Night Safety Vest | S-4XL | | Each | 25 | 25 | AS/NZS 4602.1:2011 and 1906.4:2010 Compliant | RETAIL READY |
| | WORX Clothing | CWRX193 | Force360 Yellow Day & Night Safety Vest | S-4XL | | Each | 25 | 25 | AS/NZS 4602.1:2011 and 1906.4:2010 Compliant | RETAIL READY |









SITE SAFETY



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | COLOUR | UOM | CTN QTY | MOQ |
|---------------|---------------------|----------|--|------------|------|----------|----------|
| ACCESSORIES | | | | | | | |
| | WORX Site Safety | SWRXBUNT | Bunting 30m, Orange PVC Flags, Day Use | | Each | 30 | 30 |
| | WORX Site Safety | SWRXMCRP | Multi Cap for Star Picket Retail Pack (Bag of 10) | G | Bag | 12 Bags | 12 Bags |
| | WORX Site Safety | SWRXMCB | Multi Cap for Star Picket Bulk Pack (Bag of 100) | (3) | Bag | 4 Bags | 4 Bags |
| F | WORX Site Safety | SWRXESHR | Electrical Suspension Hook Retail Pack (Pack of 5) | F | Pack | 10 Packs | 10 Packs |
| F | WORX Site Safety | SWRXESH | Electrical Suspension Hook Bulk Pack (Pack of 5) | F | Pack | 24 Packs | 24 Packs |
| | WORX Site Safety | SWRXMSHR | Multipurpose Suspension Hook Retail Pack (Pack of 2) | F | Pack | 10 Packs | 10 Packs |
| QUI S | WORX Site Safety | SWRXMSH | Multipurpose Suspension Hook Bulk Pack (Pack of 5) | F | Pack | 6 Packs | 6 Packs |

HYDRATION



| PRODUCT IMAGE | RANGE | CODE | DESCRIPTION | SIZE | COLOUR | UOM | CTN QTY | MOQ | Key Technologies |
|---------------|------------------|------------|-------------------------------|--------|--------|------|---------|-----|------------------|
| WATER COOLERS | | | | | | | | | |
| | FPR Hydration | HYFPRIKB25 | Force360 2.5Ltr Icekeg Blue | 2.5Ltr | | Each | 9 | 9 | BPA FREE |
| | FPR Hydration | HYFPRIK025 | Force360 2.5Ltr Icekeg Orange | 2.5Ltr | | Each | 9 | 9 | BPA FREE |
| | FPR Hydration | HYFPRIKB5 | Force360 5Ltr Icekeg Blue | 5Ltr | | Each | 4 | 4 | BPA FREE |
| 16 | FPR Hydration | HYFPRIK05 | Force360 5Ltr Icekeg Orange | 5Ltr | | Each | 4 | 4 | BPA FREE |